

Welcome to Marathon Petroleum Louisiana Refining Division!





Management's Commitment to Safety

NO GO!

SUSPEND WORK OBLIGATION

This is my commitment to you.

As an employee or contractor of MPC Refining, you have the authority and responsibility, without fear of reprimand or repercussion, to immediately suspend any work that is unsafe or presents a danger to you, your co-workers, or the public. You are empowered to get others involved to determine a safe resolution before proceeding with the work.

> Make the Safe Choice, on Every Task, Always!

Michael Henschen II, VP, Louisiana Refining Division



General Refinery Information



General Refinery Information

Units:

A process unit is a collection of equipment grouped together that performs a function. (i.e., Crude Unit, Steam Unit, etc.)

• Some units will be mixed in one area.

Domains:

A group of units that are combined for operations.

- Ideally, domains are grouped together according to a common purpose of the individual units.
- The term "domain" applies to Operations.
- LRD has 10 Domains.

Zones:

Zones are an area that is applied to maintenance activities.

- Where domains are the term used by operations, zones are the terms used by maintenance.
- Note Domain 2 and Zone 2 do not necessarily include the same units.

Piping

Heaters

Pumps **Boilers**

Gearboxes

Tanks

Equipment

Equipment

Reactors

Silos

Structures

Equipment

Function Number Function Name Equipment XXX-0XXXX Numbering System **Vessels/ Columns** XXX-11XXX **Drums/**Towers XXX-12XXX **Heat Exchangers** XXX-013XXX XXX-14XXX Example XXX-15XXX XXX-16XXX **Cooling Towers** XXX-17XXX **Compressors/ Blowers/** XXX-18XXX XXX-19XXX **Materials and Handling** 212-1201-01 XXX-20XXX **Filters/Separation** XXX-22XXX **Agitators/ Mixers** XXX-24XXX XXX-25XXX Hoppers/ Bins/ Chutes/ 212: Unit Number XXX-26XXX **Air Conditioning Units** XXX-27XXX XXX-29XXX **Silencers/Stacks Sample Stations** XXX-30XXX 1201: (Tower **Concrete Pit/ Sumps** XXX-41XXX XXX-43XXX Number) XXX-44XXX Instruments & Controls Communication XXX-81XXX **01:** (Series Number) XXX-83XXX Leased Equipment



Unit Name and Numbering

Unit #	Name	Zone	Domain
5	Delayed Coker	7	7
7	Rose	2	2
8	LSR Naphtha Hydrotreater	2	2
9	Penex	2	2
10	Crude and Vacuum	1	1
11	Naphtha Hydrotreater	4	4
12	Platformer	4	4
14	Distillate Hydrotreater	4	4
15	Heavy Vacuum Gas Oil Hydrotreater	4	4
16	FCC Gasoline Merox	3	3
17	FCC LPG Merox	3	3
18	Light Straight Run Merox	5	5
19	Amine/Sour Water Stripper	5	5
20	Sulfur Recovery	5	5
21	Tail Gas	5	5
22	Saturates Gas	1	1
23	Propane Merox	1	1
24	Butane Merox	1	1
25	FCCU Cracking	3	3
26	FCC Gas Concentration	3	3
27	HF Alkylation	2	2
28	Butane Isomerization	2	2
30	Wet Gas Scrubber	3	3
31	Caustic Storage	3	3
32	DEA Regeneration	2	2
33	Sour Water Stripper	2	2
34	Sulfur Recovery	5	5
36	Steam Plant	1	1
37	Cooling Towers	13	13
38	Potable Water System	1	9
39	Plant Water Treatment	1	1
40	Plant and Instrument Air System	1	1
41	Intermediate Product Storage	1	1
42	North Steam Plant	3	3
43	Fuel Oil and Gas System	4	4
44	Sulfur and Asphalt Handling Facilities	6	Product Control
45	Sulfur Plant #3	5	5



Unit Name and Numbering

Unit #	Name	Zone	Domain
46	Propylene Splitter	3	3
47	Amine Unit	5	5
48	Sour Water Stripper	5	5
50	Marine Docks (1 & 2)	6	Product Control
55	Gasoline Desulfurization	7	7
56	Distillate Hydrotreater	6	8
59	Relief Flare System	3	3
60	Effluent Treating	4	4
63	Tank Farm and Spheres	6	Product Control
64	RxR and LPG Truck Racks	6	Product Control
65	LPG Rail/Truck Racks	6	Product Control
66	Refrigerated Butane Storage	6	Product Control
67	Gasoline Blending Facilities	6	Product Control
69	Lab	6	Product Control
70	Warehouse	2	N/A
71	Barge Dock #3	6	Product Control
77	Coke Handling System	7	7
205	Delayed Coking/ Ammonia Storage	7	8
210	Crude and Vacuum	1	9
211	Naphtha Hydrotreater NHT	10	10
212	Platformer	10	10
214	Kerosene Hydrotreater KHT	10	10
215	Hydrocracker HCU	10	10
220	Sulphur Recovery	5	5
221	Tail Gas	5	5
222	Saturates Gas	1	9
231	Caustic Storage	1	9
232	DEA Regeneration	5	5
233	Sour Water Stripper	5	5
234	Sulfur	5	5
236	Boiler/ Utilities	1	9
238	Potable Water	1	9
239	Plant Water	1	9
240	Plant/ Instrument Air	1	9
243	Fuel Gas treater	1	9
247	Amine	5	5
259	Ground Flares	10	10
263	Tank Farm	6	Product Control

Unit Exclusion Zone Policy

The intent of this policy is to formalize our current work practice of limiting access of non-essential personnel in process units during abnormal events.

- Shutdown Activities
- Startup activities.
- Unit Emergencies

Notifications

- A refinery wide announcement will be made on the radio system and loudspeakers whenever a process unit is entering, or removing, an Exclusion Zone.
- An announcement will be made at the beginning of each shift (0630 and 1830) for Exclusion Zones that extend past 1 shift.

Essential vs Non-Essential Personnel

- **Critical** personnel deemed critical to the safe startup, shutdown, or response to a unit upset. Access into the restricted area can ONLY be granted by the unit operator.
- Non-Critical- Personnel deemed not immediately critical to the ongoing safe operation of a refinery process unit.


RESTRICTED ACCESS RESTRICTED ACCESS



Security Information



Daily GVL REF Plantwide Alarm Tests



The surrounding community also has a civil defense alarm which is tested at noon on the first Thursday of each month.



Weapons Policy

The following are examples of weapons that are not allowed on site, including contractor parking areas.

- Firearms of any kind
- Explosives or incendiary
 devices of any kind
 (including ammunition)
- Knives with a blade greater than 4" in length
- Taser Guns
- Machetes
- Swords
- Martial arts equipment
- Bows & Arrows

- Brass Knuckles
- Billy Clubs
- Any item altered or constructed for the purpose of causing injury

Firearms are allowed in designated parking areas outside of the refinery if the following conditions

are met:

- 1. Complete the "Firearm Approval Form"
- 2. Attest he/she is in lawful possession
- 3. Firearm must be in a locked case and vehicle must remain locked
- 4. Park in designated parking area
- 5. Employee may not return to vehicle during their shift other than to exit premises for the day

Vehicles are subject to search while on Marathon property including contractor parking areas.

For more information contact Security (6-Security)



GVL VEHICLE INCIDENT REPORTING

Assess the Incident Scene:

- If injuries occurred, follow the MPC injury reporting guidelines.
- If no injuries do not move the vehicles, contact Security (6-Security).
- Additionally, if the vehicle incident occurred within a unit battery limits contact unit operator and report incident.

Meet Security at the scene:

- Obtain vehicle operator and all witness statements.
- Take pictures for documentation.
- Assist Security in completing report.

Finalize Documentation:

- Forward all statements to MPC Safety Rep.
- Complete an Intelex Report



Emergency Information



Reporting an Emergency

Emergencies can be reported via:


- plant telephone by dialing 2500
- Cell phone by dialing 985-535-2500
- by pressing and holding the Orange Emergency Button on a plant radio. (press/hold for 3 seconds)



State:

- Name,
- exact location
- nature of the emergency (Fire, toxic release, medical emergency, rescue, etc.).

After making contact with the 001, you must then reset your radio.



Press and hold orange emergency button for 3 seconds to clear.



Emergencies

EMERGENCY LEVEL OVERVIEW		
LEVEL	OVERVIEW	
Level 1 – Unusual Event (No Off-Site Impact)	Slight to no danger to environment, property, surrounding community, and life. <i>Examples: small fire, small spill, medical</i> <i>emergencies</i>	
Level 2 – Site Area Emergency (Potential Off-Site Impact)	Moderate danger to environment, property, surrounding community, and life. Examples: large fire, medium to large hazardous material release	
Level 3 – General Emergency (Immediate Off-Site Impact)	Significant danger to environment, property, surrounding community, and life. <i>Examples: major fire that will require</i> <i>outside fire departments to respond, major</i> <i>release of hazardous materials, evacuation</i> <i>of refinery.</i>	

Emergencies are reported via the Orange button on LRD plant radios.


The Refinery Supervisor (001) will make the determination of the "level".

Level 2 emergencies require employees to report to a muster reader.

Plant Wide Muster Map

MARATHO

The plantwide alarm will initiate the muster/evacuation process. Determine wind direction and proceed to the nearest muster location and scan your badge at the muster reader. Listen for additional actions.



Entire Map can be found and printed on Garyville Homepage.



Safety Information



Refinery PPE Requirements

Hardhat

Goggles

(on person)

H2S Monitor

10" from breathing zone

FR Clothing

Tucked in Buttoned up Sleeves rolled down

Outer layer FR

Disposable coveralls Rain Gear

Natural fiber undergarments



Headlamp

(For confined spaces)

Safety Glasses

Ear Plugs

Gloves

Cut resistant (minimum level 3)

Impact resistant (when handling equipment)

Safety Toe Boots

Must have ¼" defined heel




Injury & Illness Notification and Reporting

The Contractor's Injury Notification & Reporting Flow Chart shall be followed when conducting work activities on Marathon property.

- Inside the Marathon Petroleum Company Garyville Refinery Perimeter
 Reference the Contractor's Injury Notification & Reporting Flow Chart
- Outside of the Marathon Petroleum Company Garyville Refinery Perimeter
 On Marathon Petroleum Property)
 - Reference the Contractor's Injury Notification & Reporting Flow Chart
 - Do Not call 911, as municipal emergency services work through GVL REF
- <u>Report all</u> injuries regardless of severity
- All emergencies and non-emergencies shall be immediately reported to the GVL Medical Department.
- > Self-treating or delayed reporting is <u>not</u> an option
- The GVL Medical Dept. may refer your employee to an off-site evaluation once the initial MPC care has been provided.

Further Guidance? Reporting Occ Injury and Injury Standard (RSW-0163-GV)

Contractor Injury Notification & Reporting Flow Chart



Further Guidance? Reporting Occ Injury and Injury Standard (RSW-0163-GV)

Injury & Illness Notification and Reporting

Marathon - Garyville Refinery Contacts:

Department	Name	Contact	Email
Medical	Main Office	(985) 535-7305	
Medical	Jason Ghahramani	(985) 722-0667	jghahramani@marathonpetroleum.com
Medical	Lindsay Johnson	(504) 239-1845	ltjohnson@marathonpetroleum.com

Department	Name	Contact	Email
Safety	1. Sam Streacker	(419) 306-1057	spstreacker@marathonpetroleum.com
Safety	2. Amanda Fortie	(225) 218-3106	avfortie@marathonpetroleum.com
Safety	3. Patrick Williams	(281) 382-7255	pawilliams@marathonpetroleum.com

Role	Name	Contact	Email
Injury Mgmt.	1. Kelli Cazenave	(504) 313-0432	kbcazenave@marathonpetroleum.com
Injury Mgmt.	2. Russell Perkins	(504) 421-6494	RPerkins@marathonpetroleum.com
Injury Mgmt.	3. Travis Gregory	(504) 494-5761	tgregory@marathonpetroleum.com



Injury & Illness Notification and Reporting Reporting

The MPC Garyville Medical Department is open 24/7.

During normal business hours; Medical Professionals are available. 07:00am – 3:30pm

After hours / weekends; onsite ERT Paramedics are available.

	Contact:	
Emergency Response Battalion Officer	Plant Radio: 5-Fire Protection	
(No Plant Radio? Notify any MPC Operations member)		
	(985) 535-7242	
GVL REF Operations Shift Superintendent	(225) 264-1789	

Find further guidance inside the Medical Department Lobby Area.

This area is accessible 24/7.

Medical Department Location



Further Guidance? Reporting Occ Injury and Injury Standard (RSW-0163-GV)

H2S Alarm Reporting

Any personal H₂S detector alarm, regardless of respiratory protection must be documented.

Include the following:

- maximum concentration,
- source of H₂S,
- all personnel involved (including detector serial number), and
- personnel notified.

REPORTING PROCEDURE

1.Evacuate the area immediately, upwind/crosswind

2.Notify Owning Department, typically Operations.

3.Notify Supervisor

4.If exposed to 100 ppm or higher report to medical.

5.Recalibrate H2S monitor on the docking station ASAP.

• This shall be complete prior to end of shift.

6.Incident report filled out with all required info by end of shift.

Bump Tests, Calibration Reports and Event Logs must be sent to Taiwo Oyadiran (Industrial Hygienists)







Contractor Orientation Class – Target 30

The Garyville Refinery has established an instructor led orientation aimed to inform incoming workers (both English and Spanish speaking) of the GVL REF culture and expectations for working safely.

This orientation "Targets" the following employees within 30days of working at the Garyville Refinery:

- New to their careers
- New to their occupation
- New to the Industry
- New to Marathon
- New to the Garyville Refinery

Also applies to those who struggle with:

- Understanding English
- Speaking English
- Reading English
- Writing English

Target30 Orientation Schedule

Weekly (Every Wednesday)

English Class – Twice per month – MPC Led

- 2nd and 4th Wednesday of Every Month
- Spanish Class Twice per month Interpreter Led / MPC Assist
 - 1st and 3rd Wednesday of Every Month

Location: GVL REF Safety Trailer

Find the Safety Trailer Map on the following slides.

Contractor Safety Meetings

Weekly Contractor Safety Meeting:

Each week, contractor safety meetings will cover the following:

- Key Lessons Learned
- Injury and Illness Trending
- Refinery Audit and BBS (Behavior-Based Safety) Data
- Special Topics

Attendance is mandatory for all dedicated **Contractor Safety Management and Dual-Role Contract Employees.**

When: Every Wednesday at 9am Where: GVL REF Safety Trailer

Find the Safety Trailer Map on the following slide

Monthly Contractor Safety Sequential Meeting

Each week, contractor safety meetings will cover the following:

- Refinery Safety Performance & Refinery/Company Initiatives
- Review of Monthly Special Topics

Attendance is mandatory for all dedicated **Contractor Site Management**, **Contractor Safety Management**, and **Dual-Role Contract Employees**.

When: 3rd Wednesday of Every Month at 9am Where: GVL REF Safety Trailer

Find the Safety Trailer Map on the following slide



GVL REF Safety Trailer Location

The Safety Trailer is located:


- Outside Refinery Gates
- South of Security Badging Bldg.
- East of Gate 3
- North of Yellow Parking Lot



- Security Badging Building
- Gate 3
- Yellow Parking Lot



LRD's 9 Life Critical Safety Rules



Safe

Work

Permit





Fall Protection

Confined Space Entry



Energy Isolation

Hot Work



Process Safety (Bypassing Safety Systems)



Alky PPE




Cranes and Lifting



Electrical Safe Work Practices

How to access MPC's Safe Work Practices ("RSW's") Internal Website

MARATHON





How to access MPC's Safe Work Practices ("RSW's") External Website

Marathon Petroleum Refinery Contractor Website

• Search for the Garyville Refinery



Find Refinery Safe Work Practices

Step 2: What to Know before Arriving Onsite

Drug, Alcohol, and Weapons Policy	+
General Personal Protective Equipment	+
Refinery Safe Work Practices	_
Refinery Safe Work Standards, Forms, & Appendices <u>Electronic Device Policy</u> Facial Hair Guidance - Contractor Business Partners are expected to comply with their respective company policies. <u>Smoking Policy</u>	



Contractor Audit Dashboard Access

Internal Website

When you navigate to this page via the link below, click on "Field Auditing Scoring Tool" to view audit dashboard.

	SharePoint		Search a loss sites	Ę
6			OUR COMPANY RESOURCES - EXPLORE THE BUSINESS - LOCATIONS NEWS CENTER HELP 2 MPC \$148.01 MPLX \$36.22	RITES
	Garyville Refinery		Priva	ite - Inter
	Home	A ^ℕ Immersive Reader		🖻 SH
C	LRD Vision			
€	✓ Org Charts	cite 11.1		
÷	✓ Maps	Site Links	LRD Information	
	✓ Teams Recycle bin	Emergency Response Plan • Emergency Response Plan • Fire And Rescue Team Appliction • Emergency Telephone Numbers • EA.S.T. Field Audit • EA.S.T. Field Audit • EA.S.T. Field Audit Dashboard • KMS Historical Data • Intelex • IPS	 BBS Bring Your "A" Game & Not In My House Community Relations Strategic Plan Donation Request Form DISA Employee Recognition Employee Verification Service Garyville Profit Improvement Form HESS Policy Statement Hurricane Preparedness JSV FAQ iTAR Louisiana Link 	
		 Major Equipment Deficiency. Ops Core Passport Learning PI Vision PM Deferral RED Home Page Refining Standards and Specifications SAP On-line Services SDS Site SDS Guidance Universal Plant Viewer Tool. Work Day Work Day How to Video 	 LRD \$100MM/yr Revenue Growth Goal LRD Expectation of Respectful and Professional Communication LRD Vacation Guidelines for Supervisors and Hourly Employees in Operations, Lab and Tank Farm LRD Weapons Policy FAQs MAC Enrollment Form. Managed Documents Marine Vetting Verification Near Miss Form Operations Information Center PPE Catalog 	

http://ww7.mpcconnect.com/sites/ref-essorg/Pages/default.aspx



Contractor Audit Dashboard

External Website

Marathon Refinery Contractor website Marathon Petroleum Refinery Contractor Website



Scroll to the bottom of the page

FAST DATA via external link

Links



FAST Dashboard (Audit Info)

Refining Standards & Specifications



Contractor Safety Leadership Committee

THE HIVE



Mission Statement

The Louisiana Refining Division (LRD) has established a Contractor Safety Leadership Committee Team is complied of nested and long-term contractor safety representatives. The Contractor Safety Leadership Committee Team is known as;

THE HIVE.

THE HIVE Goals

- 1. Act as a resource to resolve health and safety issues by creating active committees aimed directly at problems facing MPC and Contractor employees at LRD.
- 2. Act as the voice of the contractor safety representatives while working as a cohesive team with both the LRD Safety Team and Refinery Leadership Teams.
- 3. Work together with LRD Safety Representatives on any proposed or actual changes in health and safety policies, practices, and procedures proposed by the various committees.
- 4. Conduct weekly Tier 1 audits on a cross section of Contractors performing work at LRD with a focus on human behavior rather than on policy and practice violations.
 - a. Track and report our weekly audit findings performed by the group.

Contractor Notification Portal



RYVER

The Louisiana Refining Division (LRD) has established a Contractor Communication Portal called "Ryver".

All incoming Contractor Site Leadership and Contractor Safety Management should request access to receive important notifications.

How Do I Gain Access?

1. All email addresses requesting access should be forward to the Contractor Safety Program Owner – Safety Department

Travis Gregory - tgregory@marathonpetroleum.com

- 2. Each email provided will receive a link to establish an account this link expires in 30days.
- 3. Create an account
- 4. Upon each sign in, Ryver will ask for the "organization". The organization is <u>marathon</u> not case sensitive.

Ryver can be access from a desktop or Mobile App



Incident Investigations

Marathon classifies all of their incidents. They will be classified with one of the following 5 categories. (CAT 4 being the most severe)

CAT 0, CAT 1, CAT 2, CAT 3, CAT 4

All incidents are reported via INTELEX and are discussed in the morning meeting. During this time each incident is given a classification.

If a contractor is involved with the incident (CAT 1 – 4), a contractor representative will participate in the investigation. (Typically the site safety supervisor for the contract company)

Incidents classified as CAT 2 and above require a formal investigation. The investigation includes utilizing Taproot and developing a Snap Chart of the entire event. This will be shared with the Refinery Leadership Team (RLT).

How Can You Help? Gather witness statements, JSA's, Copy of Work Permit, Copy of associated Policies/Procedures Training Records, etc. Remain open and honest during investigation



Download any QR Scanner App Scan the QR Code Complete the Survey and **SUBMIT**!



What is *SNAG'N*?

Safety Suggestion:

An area that needs attention to improve the safety of personnel or the refinery in general.

Not In My House: Recognizing Operations & Salaried MPC Employees

<u>A-Game</u>: Recognizing Maintenance & Contract Employees

Good Catch:

Observations of an individual, or crew, performing their work in an exceptionally safe manner, helping others or positive comments.

Near Miss:

An unplanned event that has the potential to cause, but does not actually result in injury, environmental/equipment damage or an interruption to operation



Environmental Information

Environmental must notify the applicable agency within 15 minutes of the event!

- Any unplanned release to atmosphere (liquid or vapor)
- Any unplanned event resulting in flaring (ex. Unit upsets, startup/shutdown, equipment failure)
- Spills to the slab, ground, ditch, or Mississippi River
- Visible sheen or solids in the Mississippi River
- Visible sheen or solids in any of the storm water ditches

Notify your supervisor immediately of any spills/releases! Immediate Notification means within 5-10 minutes of the event.







Environmental Can be reached on Radio Channel 5- ENV



Leak Detection And Repair (LDAR)

- Marathon uses a contractor to monitor all valves, pumps, compressors, and some flanges in hydrocarbon service monthly.
- Each component in the LDAR program (pumps, valves, etc.) must have a stainless-steel tag attached to it.
 - If you find one, please return it to the Environmental Department.

- Orange Leak tags (to the right) are required when a component is found leaking. It must remain in place for two months after the valve is initially found to be leaking.
 - If you find one on the ground, please turn it into the environmental department.
 - Please ask before removing an orange tag (even if the data is old)









Leak Detection And Repair (LDAR)

• If you see a pipe missing a plug, please let Operations, or your Maintenance contact know. This could potentially be an Open Ended Line (OEL)







Portable Containers & Frac Tanks

- All containers with the capacity to store 55 gallons or greater require secondary containment.
- Position portable containers within areas that drain to the oily water sewer system.
- When storing portable containers outside the oily water sewer system, secondary containment must be provided to contain 110% of the largest container, i.e. a plastic berm or spill pallet.
- Frac tanks must have a 6" containment berm
 - Must be located inside of either a tank dike or within the oily water sewer system
 - Frac tank and berm must be inspected by Operations once per day for spills, leaks, and accumulation of rain water
 - Sewer covers must be placed over nearby storm water drains







Storm Water Drains

- Storm water runoff that falls on gravel or grassy areas and parking lots goes to ditches to be directly discharged into the environment
- Stormwater sewers are Blue
- Since this runoff gets no treatment, it is imperative that activities that could result in pollutants contaminating the storm water not take place in these areas
- NEVER RINSE ANYTHING INTO THE STORM WATER DRAINS
- Chemicals should always be stored on a paved area or have secondary containment
- If maintenance takes place around the storm water system, all blue drains in the area must be covered



WASTE

- ALL CONTAINERS MUST BE LABELED
- Divided into 3 categories:
 - Non-Hazardous
 - Hazardous
 - > Universal

Non-Hazardous waste – items that can be disposed of in a normal landfill

- Liquids are prohibited at all landfills
- Used shop rags, oily PPE, and other oily trash should be placed in "Oily Trash" containers for disposal
- Bulk Containers must have "Non-Hazardous Waste" label

Universal Waste – more cost effective to dispose as universal waste

- Batteries
- Mercury-Containing Equipment
- Fluorescent Light Bulbs
- Disposal at Warehouse M

NON-ARDOUS	HAZARDOUS WASTE	UNIVERSAL WASTE FEDERAL LAW PROHIBITS IMPROPER DISPOSAL THE FOLDIOWING WATTERLIS ARE REGALATED AS A UNIVERSAL WASTE IN ACCORDANCE WITH 40 CER PART 275.
HACK WASSTE WOASSTE	Unit No Waste Description Waste Code	UNIVERSAL WASTE - BATTERY(JES) UNIVERSAL WASTE - MERCURY THERMOSTAT(S) UNIVERSAL WASTE - PESTICIDE(S) UNIVERSAL WASTE - LAMP(S) ACCUMULATION START DATE
Contents	Date Fill Begins Date Fill Ends Date of Removal but conference - to ender - Approx - State and	DAT. TROPPE SUPPOR AND AND AND AND AND AND WITH PERET UNDER TRAVELOW AND AND AND AND WITH PERET SECTION OF ANY AND AND AND AND AND BEACHING AND AND AND AND AND AND AND AND AND HANDLE WITH CARE!

Environmental Can be reached on Radio Channel 5- ENV



Aerosol Cans & Leather PPE

- While these are not hazardous wastes at your house, they must be treated as such at the refinery.
- ALL Leather PPE and Aerosol Cans must be placed in red Satellite Accumulation containers.
 - This includes gloves, welding apparel, and boots.
- Do NOT throw away aerosol cans or leather items in plant trash.



Environmental can be reached on Radio Channel 5- ENV